


CONTAINER BASED SHOOTING RANGE COMPONENTS

HEAVY-DUTY TARGET RETRIEVAL SYSTEM



Target Retrieval System General Features

- Our new design is the most INEXPENSIVE system on the market using the most ADVANCED MOTOR TECHNOLOGY
- This all-inclusive DIY target retrieval system kit includes everything you need to install your range
- There is absolutely no need to go to the hardware store for anything !!!
- This all-inclusive kit is ideal for all type of ranges with limited budgets being either commercial, private or home-based (see our Basic or Heavy Duty series under "Ordering Options")
- It can be custom made and cut to your exact length specifications (example: from 50 feet, down to 48 feet)
- You can also cut the rails and the belt according to other desired lengths later on
- It is fully tested prior to shipping and has been proved to be exceptionally reliable in many installations

The mounting should take on average no more than 2-3 hours depending on the distance and skill level and over 25 feet we recommend a 2-3 person team. Prior to installation, please feel free to call and ask us any questions.

Ordering options:

- **Basic System:** Designed for private settings such as home-based installations, with light usage
- **Heavy Duty:** This option includes a heavy-duty carrier with belt tension-adjustable capability and high torque, long-life motor for heavy usage installations such as commercial shooting ranges
- **Motor Upward Kit:** Motor will be mounted on top of the rail for better motor protection and space saving, only when rails are suspended using our telescopic brackets



Motor Upward Kit

STM complete Target Retrieval System includes the following components:

Motor

- Speed: 0.5m/s
- Voltage: 24 VDC, 1.5A
- RPM: 112
- Load capacity: 200LB at 25FT, 100LB at 50FT
- Light touch- start function
- Wired or Wireless Activation
- Silent design
- Long lifetime
- Overload Protection
- Soft Start-Soft Stop
- Limits Settings
- Mid-range Stops
- Self-Learning Stop Points

Heavy duty, long life belt


Heavy duty belt made Our belt is high flexibility (HPF) and can be spliced to specified lengths. Also, it can be pre-installed when ordering assembled tracks.

Note: The belt length must be double the range length plus 5 inches. Ex: 25 ft. range requires 50 ft. belt length. plus 5 inches.



Aluminum Rail

Heavy-duty aluminum rails that can be ceiling mounted or suspended



Target Holder

The Sharpshooter Range Target Holder is specifically designed for the overhead target holder assemblies found at indoor ranges but is suitable for a variety of shooting scenarios. Made of corrugated plastic, and featuring three fold-over flaps to hold almost any size paper target, the Range Target Holder is long lasting and versatile. Three replacement target clips add to the Sharpshooter Range Target Holder's longevity.



Wireless Remote Control

- Product Function: LANE SELECTION, STOP, FORWARD, RETRIEVE operation
- Battery: 3V x 2 (CR2325)
- Emission Distance: 200m outdoors, 35m indoors
- Emission Frequency: 433.92MHz
- Battery Life: about three years
- Ambient Temperature: 0~50°C
- Hardwired remote control available as an additional option
- IP1, IP2 (programmable intermediate stopping points)

Note: The wireless control is necessary to access and program the advanced motor functions.



Wired Remote Control (optional order separately)

Product Functions:

STOP, FORWARD, RETRIEVE operation.




Heavy-duty Carrier

Made out of sturdy metal with the self-lubricating plastic slider.

Features:

- 2 Adjustable Belt Clamps
- 3 Target Swing Bar Mounting Holes
- 2 Adjustable Belt Tensioners
- Target Camera Mounting Hole
- 2 Sliders made of self-lubricating, high quality-high endurance plastic



Target Swing Bar


- Pulley bar
- Associated hardware



Ceiling Mounting Brackets

Rail Ceiling Mounting, 2pc/m – Total qty based on distance





Carrier Bullet Deflector

The new Carrier Bullet Deflector protects the carrier and parts of the rail behind it from random shots, up to 9mm caliber. It is made of steel and can easily be placed at 45 degrees angle in front of the carrier using the mounting screws that attach to the carrier body.

Deflector Plate : 10" X 5"
 Mounting Arm Length: 5"
 Resistance: up to 9mm caliber

Rail Guard

With a gold-galvanized finish and a half-slot construction for easy mounting, the channel can also be used to protect the aluminum rails from random shots coming from the sides. They can be mounted directly on the ceiling and the aluminum rail can slide inside. Premier gold-galvanized finish creates a non-porous barrier for protection from moisture and air resists blistering or peeling. Made of 12 gauge metal.

Available in 5 feet and 10 feet variations.



sales@supertargetmiddleeast.com
www.supertargetmiddleeast.com
 Ras Al Khaimah United Arab Emirate s